



SPACE TWIN

Blum's ideas
for narrow cabinets

www.blum.com

 **blum**[®]

Planning

Space requirements in the cabinet


Height	X (mm)
M	65.5
C	159
D	191

Front dimensions


Height	Y (mm)
M	-
C	96
D	128

FA Front overlay

Planning



Cutting dimensions for 16 mm chipboard



Chipboard back		B (mm)
Height M		84
Height C		167
Height D		199
Base length		
Chipboard back		$LW - 75$
KB Cabinet width		
LW Internal cabinet width		
NL Nominal length		

 **Note**

For ordering information for standard TANDEMBOX components, please see the respective product brochures or the catalogue.



More information on
TANDEMBOX antaro

[www.blum.com/
tandemboxantaro](http://www.blum.com/tandemboxantaro)

Blum Canada Ltd.
6775 Maritz Drive
Mississauga, ON, L5W 0H5
Tel.: 905-670-7920
Long Dist.: 1-800-670-9254
E-Mail: info.ca@blum.com

Julius Blum GmbH
Furniture Fittings Mfg.
6973 Höchst, Austria
Tel.: +43 5578 705-0
Fax: +43 5578 705-44
E-mail: info@blum.com
www.blum.com

Our sites in Austria, Poland and China are certified to the international standards mentioned below.
Our site in the USA is certified to ISO 9001.
Our site in Brazil is certified to ISO 9001, ISO 14001 and ISO 45001.



ISO 9001
Certified Quality
System



ISO 14001
Certified Environmental
System



ISO 50001
Certified Energy
System

 **blum**®



Look for our
FSC®-certified
products

All content is copyrighted by Blum.
Subject to technical modifications and changes to the range without notice.
IDNR: 165.387.4 · EP-612/1 EN-CA.03.23